



## SLD conference desk

Applicable to Office conference area

Freestanding table frame(double bar): Included metal legs + side to side connection bar  
 Straight table top: T=25mm,PVC 45 degree bevel edge,partical board  
 A wires box: Full metal with brush, open in both side, can be used separated  
 C wires box: Full metal with standard socket hole punching, can be used separated,  
 with screws  
 Plastic snake: Plastic



**Freestanding table frame  
 (double bar):**  
 W1800\*D900\*H725  
**Straight table top:**  
 W1800\*D900\*T25




**Freestanding table frame  
 (double bar):**  
 W2000\*D900\*H725  
**Straight table top:**  
 W2000\*D900\*T25



**Freestanding table frame  
 (double bar):**  
 W2200\*D1000\*H725  
**Straight table top:**  
 W2200\*D1000\*T25



**Freestanding table frame  
 (double bar):**  
 W2400\*D1200\*H725  
**Straight table top:**  
 W2400\*D1200\*T25



## SLD conference desk

Applicable to Office conference area

Freestanding table frame(double bar): Included metal legs + side to side connection bar  
 Straight table top: T=25mm,PVC 45 degree bevel edge,partical board  
 A wires box: Full metal with brush, open in both side, can be used separated  
 C wires box: Full metal with standard socket hole punching, can be used separated, with screws



**Meeting table frame:**  
W3000\*D1200\*H725  
**Conference table top:**  
W1500\*D1200\*T25\*2



**Meeting table frame:**  
W3600\*D1200\*H725  
**Conference table top:**  
W1800\*D1200\*T25\*2



**Meeting table frame:**  
W4200\*D1200\*H725  
**Conference table top:**  
W2100\*D1200\*T25\*2



**Meeting table frame:**  
W4800\*D1200\*H725  
**Conference table top:**  
W1600\*D1200\*T25\*3



**Meeting table frame:**  
W6300\*D1200\*H725  
**Conference table top:**  
W2100\*D1200\*T25\*3



## SLS conference desk

Applicable to Office conference area

Freestanding table frame(double bar): Included metal legs + side to side connection bar  
 Straight table top:T=25mm,PVC 45 degree bevel edge,partial board  
 A wires box: Full metal with brush, open in both side, can be used separated  
 C wires box: Full metal with standard socket hole punching, can be used separated, with screws



**Meeting table frame:**  
W1800\*D900\*H725  
**Conference table top:**  
W1800\*D900\*T25



**Meeting table frame:**  
W2000\*D900\*H725  
**Conference table top:**  
W2000\*D900\*T25



**Meeting table frame:**  
W2200\*D1000\*H725  
**Conference table top:**  
W2200\*D1000\*T25



**Meeting table frame:**  
W2400\*D1200\*H725  
**Conference table top:**  
W2400\*D1200\*T25



**Meeting table frame:**  
W3000\*D1200\*H725  
**Conference table top:**  
W1500\*D1200 \*T25 \*2



**Meeting table frame:**  
W3600\*D1200\*H725  
**Conference table top:**  
W1800\*D1200 \*T25 \*2



**Meeting table frame:**  
W4200\*D1200\*H725  
**Conference table top:**  
W2100\*D1200 \*T25 \*2



**Meeting table frame:**  
W4800\*D1200\*H725  
**Conference table top:**  
W1600\*D1200 \*T25 \*3



**Meeting table frame:**  
W6300\*D1200\*H725  
**Conference table top:**  
W2100\*D1200 \*T25 \*3



## VLI conference desk

Applicable to office staff area

Freestanding table frame(double bar): included metal legs +bar(included keel tray wire clips) + of leg frame  
 Straight table top: T=25mm,straight PVC edge,partical board



**WE-1800\*900:**  
 W1800\*D1200\*H725  
**Straight table top:**  
 W1800\*D900 \*T25



**WE-2000\*900:**  
 W2000\*D1200\*H725  
**Straight table top:**  
 W2000\*D900 \*T25



**WE-2100\*1000:**  
 W2100\*D1200\*H725  
**Straight table top:**  
 W2100\*D1000 \*T25



**WE-2400\*1200:**  
 W2400\*D1200\*H725  
**Straight table top:**  
 W2400\*D1200 \*T25



## VLI conference desk

Applicable to office staff area

Freestanding table frame(double bar): included metal legs +bar(included keel tray wire clips) + of leg frame  
 Straight table top: T=25mm,straight PVC edge,partical board



**WE-3000\*1200:**  
 W3000\*D1200\*H725  
**Straight table top:**  
 W1500\*D1200 \*T25 \*2



**WE-3600\*1200:**  
 W3600\*D1200\*H725  
**Straight table top:**  
 W1800\*D1200 \*T25 \*2



**WE-4200\*1200:**  
 W4200\*D1200\*H725  
**Straight table top:**  
 W2100\*D1200 \*T25 \*2



**WE-4800\*1200:**  
 W4800\*D1200\*H725  
**Straight table top:**  
 W2400\*D1200 \*T25 \*2



**WE-6300\*1200:**  
 W6300\*D1200\*H725  
**Straight table top:**  
 W2100\*D1200 \*T25 \*3



## VLS boatshape table

Applicable to Office conference area

Meeting table frame: included aluminum legs + bar+ leg frame + mid leg  
 Meeting table top: T=25mm, straight PVC edge, partical board



**WE-3200\*1500:**  
 W3200\*D1500\*H750  
**Straight table top:**  
 W1600\*D1500\*T25\*2

**WE-3800\*1500:**  
 W3800\*D1500\*H750  
**Straight table top:**  
 W1900\*D1500\*T25\*2

**WE-4400\*1500:**  
 W4400\*D1500\*H750  
**Straight table top:**  
 W2200\*D1500\*T25\*2



**WE-5000\*1500:**  
 W5000\*D1500\*H750  
**Straight table top:**  
 W1700\*D1500 \*T25\*2  
 W1600\*D1500\*T25

**WE-6500\*1500:**  
 W6500\*D1500\*H750  
**Straight table top:**  
 W2200\*D1500 \*T25\*2  
 W2100\*D1500\*T25



## VLS conference desk

Applicable to office staff area

Freestanding table frame(double bar): included aluminum legs + bar  
 (included keel tray wire clips) + leg frame  
 Straight table top: T=25mm,PVC 45 degree bevel edge,partical board  
 Meeting table frame: included aluminum legs + bar  
 Conference table top: T=25mm,straight PVC edge,partical board



**WE-1800\*900:**  
 W1800\*D900\*H750  
 Straight table top:  
 W1800\*D900 \*T25

**WE-2000\*900:**  
 W2000\*D900\*H725  
 Straight table top:  
 W2000\*D900 \*T25

**WE-2200\*1000:**  
 W2200\*D1000\*H750  
 Straight table top:  
 W1800\*D900 \*T25

**WE-2400\*1200:**  
 W2400\*D1200\*H750  
 Straight table top:  
 W2400\*D900 \*T25

**WE-3000\*1200:**  
 W3000\*D1200\*H750  
 Straight table top:  
 W1500\*D1200 \*T25 \*2

**WE-3600\*1200:**  
 W3600\*D1200\*H750  
 Straight table top:  
 W1800\*D1200 \*T25 \*2

**WE-4200\*1200:**  
 W4200\*D1200\*H750  
 Straight table top:  
 W2100\*D1200 \*T25 \*3

**WE-4800\*1200:**  
 W4800\*D1200\*H750  
 Straight table top:  
 W1600\*D1200 \*T25 \*3

**WE-6300\*1200:**  
 W6300\*D1200\*H750  
 Straight table top:  
 W2100\*D1200 \*T25 \*3